





































wheels
Ruedas



									
	Cod. Ref.	Descripción Description	Diam. Ø mm	Banda Rodadura Tread width mm	Capacidad carga Load capacity Kg	Altura Height mm	Altura Height mm	Medida pletina Plate measure mm	Métrica esparrago Threaded stem mm
	FIO 4710 RPFN-75	Con pletina / with plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	75	28	90	108	--		--
	FIO 4712 RPN-75	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	75	28	90	108	--		--
	FIO 4711 RTFN-75	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	75	28	90	--	110	--	12x25
	FIO 4713 RTN-75	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	75	28	90	--	110	--	12x25
	FIO 4718 RPFN-100	Con pletina / with plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	100	30	100	133	--		--
	FIO 4720 RPN-100	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	100	30	100	133	--		--
	FIO 4719 RTFN-100	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	100	30	100	--	135	--	12x25
	FIO 4721 RTN-100	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	100	30	100	--	135	--	12x25
	FIO 4730 RPFN-125	Con pletina / with plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	125	30	120	160	--		--
	FIO 4732 RPN-125	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	125	30	120	160	--		--
	FIO 4731 RTFN-125	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Nylon / Nylon	125	30	120	--	162	--	12x25
	FIO 4733 RTN-125	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Nylon / Nylon	125	30	120	--	162	--	12x25
	FIO 4722 RPF-C-100	Con pletina / with plate Con Freno / with brake Acabado/ Finished Caucho / Rubber	100	30	80	133	--		--
	FIO 4724 RPC-100	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber	100	30	80	133	--		--

									
	Cod. Ref.	Descripción Description	Diam. Ø mm	Banda Rodadura Tread width mm	Capacidad carga Load capacity Kg	Altura Height mm	Altura Height mm	Medida pletina Plate measure mm	Métrica esparrago Threaded stem mm
	FIO 4723 RTFC-100	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Caucho / Rubber	100	30	80	--	135	--	12x25
	FIO 4725 RTC-100	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber	100	30	80	--	135	--	12x25
	FIO 4740 RPF-125	Con pletina / with plate Con Freno / with brake Acabado/ Finished Caucho / Rubber	125	30	90	160	--		--
	FIO 4742 RPC-125	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber	125	30	90	160	--		--
	FIO 4741 RTFC-125	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Caucho / Rubber	125	30	90	--	162	--	12x25
	FIO 4743 RTC-125	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber	125	30	90	--	162	--	12x25
	FIO 4726 RPFNI-100	Con pletina / with plate Con Freno / with brake Acabado/ Finished Inoxidable-Nylon	100	30	110	132	--		--
	FIO 4728 RPNI-100	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Inoxidable-Nylon	100	30	110	132	--		--
	FIO 4727 RTFNI-100	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Inoxidable-Nylon S.S. Rubber	100	30	110	--	135	--	12x25
	FIO 4729 RTNI-100	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Inoxidable-Nylon/ S.S. Rubber	100	30	110	--	135	--	12x25
	FIO 6004 RPF-100	Con pletina / with plate Con Freno / with brake Acabado/ Finished Inoxidable-Caucho/ S.S. Rubber	100	30	80	132	--		--
	FIO 6006 RPC-100	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Inoxidable-Caucho S.S. Rubber	100	30	80	132	--		--
	FIO 6005 RTFC-100	Sin pletina / without plate Con Freno / with brake Acabado/ Finished Inoxidable-Caucho S.S. Rubber	100	30	80	--	135	--	12x25
	FIO 6007 RTC-100	Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Inoxidable-Caucho S.S. Rubber	100	30	80	--	135	--	12x25

	<p>Cod. FI0 4710 RPFN-75 Peso / Weight: 733 grs.</p> <p>Diam.: 75 mm. Con pletina / with plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4712 RPN-75 Peso / Weight: 592 grs.</p> <p>Diam.: 75 mm. Con pletina / with plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4711 RTFN-75 Peso / Weight: 614 grs.</p> <p>Diam.: 75 mm. Sin pletina / without plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4713 RTN-75 Peso / Weight: 472 grs.</p> <p>Diam.: 75 mm. Sin pletina / without plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4718 RPFN-100 Peso / Weight: 804 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4720 RPN-100 Peso / Weight: 667 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4719 RTFN-100 Peso / Weight: 686 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4721 RTN-100 Peso / Weight: 544 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4730 RPFN-125 Peso / Weight: 887 grs.</p> <p>Diam.: 125 mm. Con pletina / with plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4732 RPN-125 Peso / Weight: 754 grs.</p> <p>Diam.: 125 mm. Con pletina / with plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4731 RTFN-125 Peso / Weight: 771 grs.</p> <p>Diam.: 125 mm. Sin pletina / without plate Con Freno / with brake Acabado / Finished Nylon / Nylon</p>		<p>Cod. FI0 4733 RTN-125 Peso / Weight: 629 grs.</p> <p>Diam.: 125 mm. Sin pletina / without plate Sin Freno / without brake Acabado / Finished Nylon / Nylon</p>
	<p>Cod. FI0 4722 RPFC-100 Peso / Weight: 844 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Con Freno / with brake Acabado / Finished Caucho / Rubber</p>		<p>Cod. FI0 4724 RPC-100 Peso / Weight: 704 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Sin Freno / without brake Acabado / Finished Caucho / Rubber</p>

	<p>Cod. FI0 4723 RTFC-100 Peso / Weight: 728 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Con Freno / with brake Acabado/ Finished Caucho / Rubber</p>		<p>Cod. FI0 4725 RTC-100 Peso / Weight: 589 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber</p>
	<p>Cod. FI0 4740 RPFC-125 Peso / Weight: 928 grs.</p> <p>Diam.: 125 mm. Con pletina / with plate Con Freno / with brake Acabado/ Finished Caucho / Rubber</p>		<p>Cod. FI0 4742 RPC-125 Peso / Weight: 795 grs.</p> <p>Diam.: 125 mm. Con pletina / with plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber</p>
	<p>Cod. FI0 4741 RTFC-125 Peso / Weight: 812 grs.</p> <p>Diam.: 125 mm. Sin pletina / without plate Con Freno / with brake Acabado/ Finished Caucho / Rubber</p>		<p>Cod. FI0 4743 RTC-125 Peso / Weight: 681 grs.</p> <p>Diam.: 125 mm. Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Caucho / Rubber</p>
 Inox. Stainless steel	<p>Cod. FI0 4726 RPFNI-100 Peso / Weight: 723 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Con Freno / with brake Acabado/ Finished Inoxidable-Nylon/S.S. Rubber</p>	 Inox. Stainless steel	<p>Cod. FI0 4728 RPNI-100 Peso / Weight: 604 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Sin Freno / without brake Acabado/ Finished Inoxidable-Nylon/S.S. Rubber</p>
 Inox. Stainless steel	<p>Cod. FI0 4727 RTFNI-100 Peso / Weight: 651 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Con Freno / with brake Acabado/ Finished Inoxidable-Nylon/S.S. Rubber</p>	 Inox. Stainless steel	<p>Cod. FI0 4729 RTNI-100 Peso / Weight: 519 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Inoxidable-Nylon/S.S. Rubber</p>
 Inox. Stainless steel	<p>Cod. FI0 6004 RPF CI-100 Peso / Weight: 771 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Con Freno / with brake Acabado/ Finished Inoxidable-Caucho/S.S. Rubber</p>	 Inox. Stainless steel	<p>Cod. FI0 6006 RPCI-100 Peso / Weight: 643 grs.</p> <p>Diam.: 100 mm. Con pletina / with plate Sin Freno / without brake Acabado/ Finished Inoxidable-Caucho/S.S. Rubber</p>
 Inox. Stainless steel	<p>Cod. FI0 6005 RTF CI-100 Peso / Weight: 726 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Con Freno / with brake Acabado/ Finished Inoxidable-Caucho/S.S. Rubber</p>	 Inox. Stainless steel	<p>Cod. FI0 6007 RTCI-100 Peso / Weight: 568 grs.</p> <p>Diam.: 100 mm. Sin pletina / without plate Sin Freno / without brake Acabado/ Finished Inoxidable-Caucho/S.S. Rubber</p>



	Cod. Ref.	Descripción Description	Diam. Ø mm	Banda Rodadura Tread width mm	Capacidad carga Load capacity Kg.	Altura Height mm	Altura Height mm	Medida pletina Plate measure mm			
	F10 4735 RPS-100	Con pletina / with plate Sin Freno / without brake Acabado/ Finished Silicona / Silicone	100	30	100	132	135		34	41	8






Cod. F10 4735

RPS-100


Peso / Weight: 745 grs.

Diam.: 100 mm.

Con pletina / with plate
Sin Freno / without brake
Acabado/ Finished
Silicona / Silicone



Hexagonal S = 22 mm.



Hueco diámetro tornillo / Bolt hole diameter : Ø 9 mm
 Espesor pletina / Plate thickness: 3 mm.
 Espesor de la horquilla / Fork thickness: 2.5 mm.

